

# Storm*Agri 915*



### • FUNCTION:

Professional agricultural fumigation using liquids.

## • FEATURES:

The Storm AGRI is a professional aircraft designed for agricultural air spraying. It can spray low and ultra low volumes of liquid. It can also be used as a two-seat side by side aircraft with dual controls. The spraying boom has an 9 meter range, with a 19 meter spray pass, plus overlap. The cruise speed (over 280 km/h without sprying system installed) and autonomy (over 4 hours) to allow travel over 800/1000 km using gasoline-powered cars. The boom can be folded quickly and easily, the wings can be removed in a short time and the plane can also be transported by trailer. The STORM AGRI is equipped with a ULV tank capacity of 250 liters.

### STANDARD EQUIPMENT:

- Anti corrosion Aluminum frame.
- Strong landing gear.
- Specialty Air Hawk Tire .
- Centrifugally cast Wheels with internal Hydraulic caliper
- 3 blades Propeller Ground adjustable carbon fiber with nickel cadmium leading edges protection.
- Flaps actuator with led indicator.
- Hydraulic wheel brakes with parking.
- Electric elevator trim with led indicator.
- Flaps actuator with led indicator.
- Engine: Rotax 915 IS/iSc 141 Hp
- 100 liters Wing fuel tank (Option 160 Lt tanks) with 2 level indicators.
- High strong quality seat covers.
- 250 liters ULV product tank Rf. Engine power.
- Complete system Micronair for liquid crop spray with boom of 9 mt
- Pressure regulator valve on cockpit Micronair
- Emergency actuator valve for spray product.

### **INSTRUMENTS:**

- Airspeed Indicator
- Vertical Speed indicator.
- Altimeter.
- Compass.
- Engine tachometer.
- 2 Cylinder head temperature.
- Oil temperature.
- Oil pressure.
- Fuel pressure
- 2 Fuel level indicator
- Hour meter.
- InterCom VHF
- Transponder
- Flaps indicator position
- Elevator Trim indicator
- Power plug 12v
- Micronair Spraying system pressure gauge.
- GPS Farm Navigator.

## **OPTIONS:**

Glass Cokpit: 2 Screen 10" Call For Autopilot 2 Axis : Add \$.12.760,00 For Aircraft Recover Parachute: Add \$. 14.800,00

#### **DIMENSIONS AND WEIGHTS**

•	Wing Span	9,20mt.
•	Length	7,15mt.
•	Height	2,25mt.
	Cabin Width	1,1mt.
	Boom width	9 mt.
•	Max. Take	850Kg.
•	Empty Weight	390Kg.
•	Carrying	460Kg.

# **FEATURES (Standard conditions**

- Spraying speed ----- 160 /180 Km/h
- VNE (boom deployed) ----- 220 km/h
- VNE Without Sprying System --- 320 km/h
- Vs ----- 65 Km/h
- Rate of climb (750Kg) ------ 900F/min.





Take off run ------ 220 mt.
Landing run ------ 180 mt
Consumption when spraying ------ 32 - 38 lt//h.
Flight endurance ------ 3 H Standard Tanks - 4.30 H Long range tanks
Service ceiling : ------ 220 mt.

# **BENEFITS OF THE AGRICULTURAL AIRCRAFT STORM AGRI**

- Auto Electric spraying system allows measuring without starting the engine
- "Surgical" cut at the end of the row (no trail)
- Low vortexes and disturbance
- Electric diaphragm pumps with a nominal pressure MicronAir
- Cabin system pressure control valve
- 19 meter swath pass with overlap
- Range: 3 Hectares per minute

### **COST OF OPERATION:**

Aircraft depreciation at 5000 hr	\$. 36.40 per hour
Engine & Prop replace at 1200 h	\$. 35.80 per hour
Aircraft maintenance	\$. 5.40 per hour
Fuel (at 1.10 \$. per liter)	\$. 41.80 per hour

# Cost total per hour of flight -

# \$**.** 119.40

# Price ex Factory: 172. K.\$

# Aircraft STORM Agri Always at your service

Realize the highest success at lowest costs when flying with one of the safest aircrafts on the market. STORM Agri adaptable, agile, nearly every situation; a medical assignment, Called in the duty of a shark, pipe and power lining, border control, agricultural crop spraying or military missions..etc.



# STROMAIRCRAFT – A.T.R. StormAircraft Group

Email: atrstormgroup@gmail.com - Tech@stormaircraft.com - info@stormaircraft.com

Phone : +216 23084737 - 58273173

FAX: +39 0773 3884992560

Web : www.stormaircraft.com